



SLEZSKÉ ZEMSKÉ MUZEUM



**INDEX SEMINUM
NOVODVORENSIS
58.**

**ARBORETUM NOVÝ DVŮR
SLEZSKÉ ZEMSKÉ MUZEUM
2019/2020**

**INDEX SEMINUM NOVODVORENSIS
58.**

2019/2020

ARBORETUM NOVÝ DVŮR



**SLEZSKÉ ZEMSKÉ MUZEUM
ARBORETUM NOVÝ DVŮR
746 01 OPAVA
CZECH REPUBLIC**

**WEB: www.szm.cz
E-MAIL: arboretum@szm.cz**

LEADERSHIP:

Mgr. Jana Horáková

Museum Director

Rostislav Šindler

Head of the Nový Dvůr Arboretum

EDITORS:

Ing. Kamila Můčková

Curator

SEED COLLECTORS:

Lenka Konečná

Petr Štelar

Jitka Janošková

Květoslava Pešková

Vladislava Krahulcová

Renáta Rabinská

GENERAL INFORMATION

Established in: 1958

Geographical location: 17°46'50''E, 49°56'12''N

Altitude: 336–354 m

Area: 23 hectares

CLIMATIC CONDITIONS (OPAVA)

Annual mean temperature (1876–1975): 8,2°C

Annual rainfall (1876–1975): 621 mm

*) The picture from title page display flower *Cercis siliquastrum* from the Nový Dvůr Arboretum (Můčková, 2019)

HISTORY OF THE NOVÝ DVŮR ARBORETUM

The Nový Dvůr Arboretum is one of the six exhibition premises of the Silesian Museum. It is a botanical garden with a special focus on dendrology, i.e. the study of trees. The arboretum enjoys a special status within the museum, as no other part of the institution administers living exhibits.

The origin of the arboretum are closely linked to the owner of the Nový Dvůr estate, Quido Riedel (1878–1946). During his time in Nový Dvůr (1906–28) Riedel, with exquisite taste, created a natural, landscaped park in a modestly-sized area of 1,8 hectares, and which contained up to 500 tree species and cultivars from both home and abroad. This park became the foundation for the current arboretum and forms the historical section of the dendrological exhibition, which gradually expanded



Quido Riedel, founder of the Nový Dvůr park exhibition, pictured at his native Bílá Lhota near Litovel (1945)

to its current 23 hectares. In 1928 Quido Riedel returned to his native Bílá Lhota, near the town of Litovel, where, on slightly less than 3 hectares of land, he laid out a similarly impressive park, with a rich collection of trees that later became the foundation for the Bílá Lhota Arboretum. Riedel left the Nový Dvůr estate to his daughter, Elisabeth Schubert and son-in-law Walter Schubert, who tended to the park until the end of the Second World War.

In the post-war period the Nový Dvůr estate went through a number of owners, while the park was deprived of expert supervision and became overgrown and neglected.

The situation changed in 1958, when the park – one of the most valuable dendrological sites in Silesia – was given to the Silesian Museum, which set up the arboretum. The historical part of the dendrological exhibition has been preserved in its natural, landscaped form and, apart from the value of the trees as a collection, the park itself is of immense

worth due to its design and composition. The basic structure of the park Quido Riedel, founder of the Nový Dvůr park exhibition, pictured at his native Bílá Lhota near Litovel (1945) consists of fully-grown, solitary or grouped pine trees of the *Heraltice* ecotype, or vegetation surrounding them, which alternate with grassy open spaces. The compositional design of the park allows views of interesting tree combinations showing contrasting structures, textures, habits, autumn colouration or colour and intensity of blossoming.

The newer parts of the dendrological exhibition are based on a different concept. The overall composition is, here, subordinate to the division of the park into geographical units; under the overall title of 'The Trees of Five Continents', each section contains geographically related species. Between 1967–70 a large greenhouse complex was built over an area of 1,300 m², containing an exhibition of subtropical and tropical plants. This complex was open to visitors for 30 years before it had to be demolished in 2000 due its poor technical condition. It was replaced with a fully-equipped silvicultural greenhouse, part of which was opened to the public in 2010 in the form of a small greenhouse exhibition.

The new manor house was built in the Neo-Renaissance style by Baron Antonín Luft following his acquisition of the Nový Dvůr estate, and used by Quido Riedel between 1906–28. After 1958, it was became the administrative building of the newly established arboretum. The issue of the first *Index Seminum Novodvorenensis* has been dated since 1960.



View of Nový Dvůr manor house from years 1914–1920

**Seeds and fruits collected from plants cultivated outdoors
in the Nový Dvůr Arboretum**

GYMNOSPERMAE

CUPRESSACEAE

- | | | |
|----|--|------------|
| 1. | <i>Chamaecyparis obtusa</i> Siebold & Zucc. | 1666-94-10 |
| 2. | <i>Juniperus communis</i> L. | 228/980 |
| 3. | <i>Juniperus semiglobosa</i> Regel | 0294-87-77 |
| 4. | <i>Metasequoia glyptostroboides</i> Hu & W. C. Cheng | 89020 |
| 5. | <i>Microbiota decussata</i> Kom. | |

PINACEAE

- | | | |
|-----|--|------------|
| 6. | <i>Abies koreana</i> E. H. Wilson | |
| 7. | <i>Cedrus atlantica</i> (Endl.) Manetti ex Carriere | 1464-92-10 |
| 8. | <i>Larix decidua</i> Mill. | |
| 9. | <i>Larix gmelinii</i> (Rupr.) Kuzeneva | 0926-98-40 |
| 10. | <i>Larix gmelinii</i> (Rupr.) Kuzeneva
var. <i>principis - rupprechtii</i> (Mayr) Pilg. | 0295-90-10 |
| 11. | <i>Larix kaempferi</i> (Lamb.) Carriere | |
| 12. | <i>Larix laricina</i> (Du Roi) K. Koch | 1433 |
| 13. | <i>Larix maritima</i> Sukaczew | 85120 |
| 14. | <i>Larix sibirica</i> Ledeb. | 695/78 |
| 15. | <i>Picea gemmata</i> Rehd. et Wils | 90241 |
| 16. | <i>Pinus armandii</i> Franch. | |
| 17. | <i>Pinus resinosa</i> Aiton | 1882-93-50 |
| 18. | <i>Pinus sylvestris</i> L. | 0449-91-10 |
| 19. | <i>Pinus sylvestris</i> L. | 0645-00-10 |
| 20. | <i>Tsuga canadensis</i> Carrière | |
| 21. | <i>Tsuga heterophylla</i> Sarg. | 0113-91-70 |

**Seeds and fruits collected from plants cultivated outdoors
in the Nový Dvůr Arboretum**

TAXACEAE

- | | | |
|-----|--|------------|
| 22. | <i>Taxus baccata</i> L. | 0679-99-10 |
| 23. | <i>Taxus canadensis</i> Marshall | 25/81 |
| 24. | <i>Taxus cuspidata</i> Siebold & Zucc. | 322/79 |

TAXODIACEAE

- | | | |
|-----|------------------------------------|-------|
| 25. | <i>Cryptomeria japonica</i> D. Don | 90292 |
|-----|------------------------------------|-------|

ANGIOSPERMAE

ACERACEAE

- | | | |
|-----|---|------------|
| 26. | <i>Acer buergerianum</i> Miq. | 323/78 |
| 27. | <i>Acer carpinifolium</i> Siebold & Zucc. | 87205 |
| 28. | <i>Acer circinatum</i> Pursh. | 1999-93-10 |
| 29. | <i>Acer ginnala</i> Maxim. | 1932-92-10 |
| 30. | <i>Acer ginnala</i> Maxim. | 2242-93-10 |
| 31. | <i>Acer griseum</i> (Franch.) Pax | 2/78 |
| 32. | <i>Acer macrophyllum</i> Pursh | |
| 33. | <i>Acer mono</i> Maxim. | 1925-93-10 |
| 34. | <i>Acer tataricum</i> L. | 2164-94-10 |

ANACARDIACEAE

- | | | |
|-----|--------------------------------|--|
| 35. | <i>Cotinus coggygria</i> Scop. | |
|-----|--------------------------------|--|

AQUIFOLIACEAE

- | | | |
|-----|--|-------|
| 36. | <i>Ilex aquifolium</i> L. | |
| 37. | <i>Nemopanthus mucronatus</i> (L.) Loes. | 86198 |

**Seeds and fruits collected from plants cultivated outdoors
in the Nový Dvůr Arboretum**

ARALIACEAE

38. *Acanthopanax henryi* (Oliv.) Harms
39. *Acanthopanax sieboldianus* Makino 0108-87-10

BERBERIDACEAE

40. *Berberis diaphana* Maxim. 1335-96-10
41. *Berberis thunbergii* DC.
42. *Berberis vulgaris* L. 0166-92-10
43. *Mahonia nervosa* (Pursh) Nutt. 90432

BETULACEAE

44. *Alnus cordata* (Loisel.) Desf. 2154-93-40
45. *Alnus firma* Siebold & Zucc. 0936-91-10
46. *Alnus inokumae* Murai et Kusaka 1292-94-10
47. *Betula carpatica* Waldst. et Kit. ex Willd. 0156-04-70
48. *Betula concinna* Gunnarsson 1734-92-10
49. *Betula grossa* Siebold & Zucc. 0663-91-10
50. *Betula jacquemontii* Spach
51. *Betula lenta* L. 90624
52. *Betula ovalifolia* Rupr. 0794-91-40
53. *Betula oycoviensis* Besser 1497
54. *Betula papyrifera* Marshall 0346-92-10
55. *Betula platyphylla* Sukaczew 1215-95-10
56. *Betula pubescens* Ehrh. 1645
57. *Betula pubescens* Ehrh. 1550
58. *Betula pubescens* Ehrh. ssp. *tortuosa* (Ledeb.) Nyman 1909-92-10
59. *Betula pubescens* Ehrh. var. *litwinowii* Doluch. 1295-93-10

**Seeds and fruits collected from plants cultivated outdoors
in the Nový Dvůr Arboretum**

BIGNONIACEAE

- | | | |
|-----|--|------------|
| 60. | <i>Catalpa bignonioides</i> Walter | |
| 61. | <i>Catalpa ovata</i> G. Don | 0307-06-70 |
| 62. | <i>Catalpa speciosa</i> (Warder) Engelm. | 0254-06-70 |
| 63. | <i>Catalpa x galleana</i> Dode | |

CAPRIFOLIACEAE

- | | | |
|-----|---|------------|
| 64. | <i>Kolkwitzia amabilis</i> Graebn. | 3222-94-83 |
| 65. | <i>Kolkwitzia amabilis</i> Graebn. | |
| 66. | <i>Lonicera alpigena</i> L. | 0673-93-10 |
| 67. | <i>Lonicera fragrantissima</i> Lindl. & Paxton | 1708-10-70 |
| 68. | <i>Lonicera maackii</i> (Rupr.) Maxim. | 0452-10-70 |
| 69. | <i>Lonicera morrowii</i> A. Gray | 1593-10-70 |
| 70. | <i>Lonicera ruprechtiana</i> Regel. | 1386-94-40 |
| 71. | <i>Lonicera subhispida</i> Nakai | 0998-93-70 |
| 72. | <i>Lonicera tatarica</i> L. | 0777-10-70 |
| 73. | <i>Lonicera xylosteum</i> L. | 2294-92-10 |
| 74. | <i>Sambucus racemosa</i> L. f. <i>aureocarpa</i> | 90525 |
| 75. | <i>Viburnum alnifolium</i> Marsh. | 0346-05-70 |
| 76. | <i>Viburnum carlesii</i> Hemsl. | |
| 77. | <i>Viburnum mongolicum</i> (Pall.) Rehder. | 0299-05-70 |
| 78. | <i>Viburnum rhytidophyllum</i> Hemsl. | |
| 79. | <i>Viburnum sargentii</i> Koehne f. <i>puberulum</i> Kom. | 2215-94-10 |
| 80. | <i>Viburnum trilobum</i> Marshall | 0451-03-70 |
| 81. | <i>Viburnum trilobum</i> Marshall | 0359-05-70 |
| 82. | <i>Viburnum wrightii</i> Miq. | 1294-94-10 |
| 83. | <i>Viburnum wrightii</i> Miq. | 1377-93-40 |
| 84. | <i>Weigela middendorffiana</i> (Trautv. & C. A. Mey.) K. Koch | 1497-10-70 |

**Seeds and fruits collected from plants cultivated outdoors
in the Nový Dvůr Arboretum**



☞ *Viburnum carlesii* from the Nový Dvůr Arboretum (Mücková, 2. 5. 2019)

CELASTRACEAE

- | | | |
|-----|---|------------|
| 85. | <i>Celastrus orbiculatus</i> Thunb. | |
| 86. | <i>Euonymus europaeus</i> L. var. <i>angustifolius</i> K. F. Schulz | 390/80 |
| 87. | <i>Euonymus macropterus</i> Rupr. | 67/79 |
| 88. | <i>Euonymus phellomanus</i> Loes. | |
| 89. | <i>Euonymus planipes</i> (Koehne) Koehne | 509/78 |
| 90. | <i>Euonymus planipes</i> (Koehne) Koehne | 0541-14-80 |
| 91. | <i>Euonymus sieboldianus</i> Blume | 86154 |
| 92. | <i>Euonymus sieboldianus</i> Blume | 1516-94-40 |

**Seeds and fruits collected from plants cultivated outdoors
in the Nový Dvůr Arboretum**

CORNACEAE

- | | |
|--|------------|
| 93. <i>Cornus florida</i> L. | |
| 94. <i>Cornus florida</i> L. | 1363-92-10 |
| 95. <i>Cornus kousa</i> (Bürger) Hance var. <i>kousa</i> | |
| 96. <i>Cornus mas</i> L. | 1858-93-10 |
| 97. <i>Cornus officinalis</i> Siebold & Zucc. | 0706-03-70 |
| 98. <i>Cornus racemosa</i> Lam. | 134 |
| 99. <i>Cornus stricta</i> Lam. | 0180-94-50 |



☞ *Cornus officinalis* from the Nový Dvůr Arboretum (Mücková, 30. 3. 2019)

**Seeds and fruits collected from plants cultivated outdoors
in the Nový Dvůr Arboretum**

CORYLACEAE

100. <i>Carpinus caroliniana</i> Walter	1271-93-10
101. <i>Carpinus caroliniana</i> Walter	1974-93-10
102. <i>Carpinus laxiflora</i> (Siebold & Zucc.) Blume	2687-92-10
103. <i>Carpinus tschonoskii</i> Maxim. var. <i>eximia</i> Hatusima	1613-96-10
104. <i>Corylus americana</i> Marshall	1944-96-10

EBENACEAE

105. <i>Diospyros virginiana</i> L.	
-------------------------------------	--

ERICACEAE

106. <i>Gaultheria miqueliana</i> Takeda	
107. <i>Lyonia mariana</i> D. Don	85018
108. <i>Pieris japonica</i> (Thunb.) D. Don ex G. Don	
109. <i>Vaccinium arctostaphylos</i> L.	0656-91-10
110. <i>Vaccinium arctostaphylos</i> L.	0408-91-40

FABACEAE

111. <i>Amorpha fruticosa</i> L.	0299-84-10
112. <i>Caragana manshurica</i> Kom.	0855-91-40
113. <i>Cercis canadensis</i> L.	
114. <i>Cladrastis lutea</i> (F. Michx.) K. Koch	0632-95-70
115. <i>Genista hispanica</i> L.	87396
116. <i>Laburnocytisus adami</i> (Poit.) C. K. Schneid.	2202-96-80

FAGACEAE

117. <i>Quercus bicolor</i> Willd.	84728
118. <i>Quercus phellos</i> L.	2599-93-10
119. <i>Quercus prinus</i> L.	0767-84-70
120. <i>Quercus rubra</i> L.	
121. <i>Quercus stellata</i> Wangenh.	3/81

**Seeds and fruits collected from plants cultivated outdoors
in the Nový Dvůr Arboretum**

GROSSULARIACEAE

122. *Ribes petraeum* Wulfen 1790

HAMAMELIDACEAE

123. *Corylopsis gotoana* Makino 1423-10-70

124. *Fothergilla major* Lodd. 1187-99-80

125. *Hamamelis japonica* Sieb. et Zucc. 1033-02-70

126. *Hamamelis mollis* Oliv.

127. *Hamamelis vernalis* Sarg. 0201-00-70

128. *Hamamelis vernalis* Sarg. 0113-03-70

129. *Hamamelis vernalis* Sarg. 0335-05-70

130. *Hamamelis virginiana* L. 2495-93-10

131. *Hamamelis virginiana* L. 906 D

132. *Parrotiopsis jacquemontiana* (Decne.) Rehder



☞ *Fothergilla major* from the Nový Dvůr Arboretum (Mücková, 2. 5. 2019)

**Seeds and fruits collected from plants cultivated outdoors
in the Nový Dvůr Arboretum**

HYDRANGEACEAE

133. <i>Deutzia crenata</i> Siebold & Zucc.	2697-92-70
134. <i>Deutzia glauca</i> Cheng	2743-94-83
135. <i>Deutzia maximowicziana</i> Makino	1644-10-70
136. <i>Deutzia ningpoensis</i> Rehder	84180
137. <i>Philadelphus microphyllus</i> A. Gray	124/81
138. <i>Philadelphus microphyllus</i> A. Gray	1837-10-70
139. <i>Philadelphus schrenkii</i> Rupr.	1327-05-70

LAMIACEAE

140. <i>Callicarpa japonica</i> Thunb.	
--	--

LARDIZABALACEAE

141. <i>Decaisnea fargesii</i> Franch.	
142. <i>Sinofranchetia chinensis</i> (Franch.) Hemsl.	87167

MAGNOLIACEAE

143. <i>Magnolia grandiflora</i> L.	
144. <i>Magnolia virginiana</i> L.	1393

OLEACEAE

145. <i>Fontanesia fortunei</i> Carriere	0727-91-70
146. <i>Forsythia giraldiana</i> Lingelsh.	
147. <i>Ligustrum tchonoskii</i> Decne.	0525-98-10
148. <i>Ligustrum tchonoskii</i> Decne.	1385-93-40
149. <i>Syringa patula</i> (Palib.) Nakai	0401-90-10
150. <i>Syringa reticulata</i> (Blume) Hara	1235-95-10
151. <i>Syringa tigerstedtii</i> Harry Sm.	0463-96-40
152. <i>Syringa villosa</i> Vahl	1600-10-70
153. <i>Syringa wolfii</i> C. K. Schneid.	0674-05-70
154. <i>Syringa wolfii</i> C. K. Schneid.	0104-10-70
155. <i>Syringa yuannanensis</i> Franch.	1514-10-70



☞ *Forsythia giraldiana* from the Nový Dvůr Arboretum (Mücková, 2019)

ROSACEAE

156. <i>Amelanchier bartramiana</i> (Tausch.) M. Roem.	139/80
157. <i>Amelanchier laevis</i> Wiegand	1548
158. <i>Amelanchier spicata</i> (Lam.) K. Koch	138/80
159. <i>Amygdalus nana</i> L.	90099
160. <i>Aronia arbutifolia</i> (L.) Pers.	0079-85-10
161. <i>Aronia prunifolia</i> (Marsh.) Rehder	1385
162. <i>Cotoneaster bradyi</i> E. C. Nelson & J. Fryer	0543-96-40
163. <i>Cotoneaster bullatus</i> Bois	
164. <i>Cotoneaster cochleatus</i> (Franch.) G. Klotz	0344-97-70
165. <i>Cotoneaster giraldii</i> Flinck & B. Hylmö ex G. Klotz	1156-92-70
166. <i>Cotoneaster glomerulatus</i> W. W. Sm.	0346-97-70
167. <i>Cotoneaster horizontalis</i> Decne.	1641-97-10
168. <i>Cotoneaster kullensis</i> B. Hylmö	2388-96-40
169. <i>Cotoneaster miniatus</i> (Rehder & E. H. Wilson) Flinck & B. Hylmö	1159-92-70

**Seeds and fruits collected from plants cultivated outdoors
in the Nový Dvůr Arboretum**

170. <i>Cotoneaster otto-schwarzii</i> Klotz	0886-95-70
171. <i>Cotoneaster roseus</i> Edgew.	
172. <i>Cotoneaster scandinavicus</i> B. Hylmö	0875-95-10
173. <i>Cotoneaster sikangensis</i> Flinck & B. Hylmö	1164-92-40
174. <i>Cotoneaster villosulus</i> (Rehder & E. H. Wilson) Flinck & B. Hylmö	0943-96-70
175. <i>Crataegus calpodendron</i> (Ehrh.) Medik.	17/75
176. <i>Crataegus calycina</i> Peterm.	0541-94-10
177. <i>Crataegus maximowiczii</i> C. K. Schneid.	1238-95-10
178. <i>Crataegus pedicellata</i> Sarg.	1279-93-10
179. <i>Crataegus pedicellata</i> Sarg.	89236
180. <i>Exochorda racemosa</i> (Lindl.) Rehder	
181. <i>Holodiscus discolor</i> (Nutt.) Maxim.	
182. <i>Malus floribunda</i> Siebold ex van Houtte	3105-92-80
183. <i>Malus rockii</i> Rehder	3092-92-80
184. <i>Malus sieboldii</i> (Reg.) Rehder	1681-94-10
185. <i>Malus sieboldii</i> (Reg.) Rehder	0527-98-10
186. <i>Malus sieboldii</i> (Reg.) Rehder	1947-93-10
187. <i>Malus sylvestris</i> (L.) Mill.	1970-97-10
188. <i>Osmaronia cerasiformis</i> (Torr. & A. Gray) Greene	7150
189. <i>Prunus maackii</i> Rupr.	1560-95-40
190. <i>Prunus speciosa</i> (Koidz.) Ingram	0785-91-80
191. <i>Prunus ssiori</i> F. Schmidt	1388-93-40
192. <i>Pyrus betulifolia</i> Bunge	
193. <i>Rosa majalis</i> Herrm.	0558-93-10
194. <i>Rosa maximowicziana</i> Regel.	1512-95-40
195. <i>Rosa palustris</i> Marshall	1553-92-10
196. <i>Rosa rubiginosa</i> L.	0548-92-10
197. <i>Rosa rugosa</i> Thunb.	0174-89-10
198. <i>Rosa villosa</i> L.	1393-10-70

**Seeds and fruits collected from plants cultivated outdoors
in the Nový Dvůr Arboretum**



☞ *Prunus padus* 'Colorata' from the Nový Dvůr Arboretum (Mücková, 26. 4. 2019)



☞ *Prunus serrulata* 'Kanzan' from the Nový Dvůr Arboretum (Mücková, 26. 4. 2019)

**Seeds and fruits collected from plants cultivated outdoors
in the Nový Dvůr Arboretum**

199. <i>Rosa woodsii</i> Lindl.	0816-93-10
200. <i>Sorbaria sorbifolia</i> (L.) A. Braun	0480-95-10
201. <i>Sorbus aria</i> (L.) Crantz	0677-93-10
202. <i>Sorbus koehneana</i> C. K. Schneid.	71/82
203. <i>Sorbus sambucifolia</i> (Cham. & Schltld.) Roem.	0839-91-10
204. <i>Sorbus sudetica</i> (Tausch.) Bluff, Nees & Schauer	1663
205. <i>Spiraea blumei</i> Regel	
206. <i>Spiraea douglasii</i> Hook. ssp. <i>menziesii</i> (Hook.) Calder & Taylor	2012-93-10
207. <i>Spiraea nipponica</i> Maxim.	90396
208. <i>Spiraea trichocarpa</i> Nakai	1245-95-10
209. <i>Spiraea trichocarpa</i> Nakai	0088-94-40

RUTACEAE

210. <i>Poncirus trifoliata</i> (L.) Raf.	
211. <i>Zanthoxylum schinifolium</i> Siebold & Zucc.	86261

SAPINDACEAE

212. <i>Koelreuteria paniculata</i> Laxm.	
---	--

STAPHYLEACEAE

213. <i>Staphylea colchica</i> Steven	
214. <i>Staphylea pinnata</i> L.	0530-91-10
215. <i>Staphylea pinnata</i> L.	0048-91-10
216. <i>Staphylea trifolia</i> L.	2247-92-50


ULMACEAE

217. <i>Celtis tenuifolia</i> Nutt.	2591-93-10
218. <i>Hemiptelea davidii</i> (Hance) Planch.	0211-85-10



☞ *Rosa hugonis* from the Nový Dvůr Arboretum (Mücková, 2. 5. 2019)

***Seeds and fruits collected from plants cultivated outdoors
in the Nový Dvůr Arboretum***



☞ Alpinum from the Nový Dvůr Arboretum (Mücková, 2019)

AGREEMENT ON THE SUPPLY OF LIVING PLANT MATERIAL¹ FOR NON-COMMERCIAL PURPOSES LEAVING THE INTERNATIONAL PLANT EXCHANGE NETWORK

Against the background of the provisions and decisions of the Convention on Biological Diversity of 1992 (CBD) and in particular those on access to genetic resources and benefit-sharing, the garden is dedicated to promoting the conservation, sustainable use, and research of biological diversity. The garden therefore expects its partners in acquiring, maintaining, and transferring plant material to always act in accordance with the CBD and the Convention on the International Trade in Endangered Species (CITES).

The responsibility for legal handling of the plant material passes on to the recipient upon receipt of the material. The requested plant material will be supplied to the recipient only on the following conditions:

1. Based on this agreement, the plant material is supplied only for non-commercial use such as scientific study and educational purposes as well as environmental protection. Should the recipient at a later date intend a commercial use or a transfer for commercial use, the country of origin's prior informed consent (PIC) must be obtained in writing before the material is used or transferred. The recipient is responsible for ensuring an equitable sharing of benefits.
 2. On receiving the plant material, the recipient endeavours to document the received plant material, its origin (country of origin, first receiving garden, „donor“ of the plant material, year of collection) as well as the acquisition and transfer conditions in a comprehensible manner.
 3. In the event that scientific publications are produced based on the supplied plant material, the recipient is obliged to indicate the origin of the material (the supplying garden and if known the country of origin) and to send these publications to the garden and to the country of origin without request.
 4. On request, the garden will forward relevant information on the transfer of the plant material to the body charged with implementing the CBD².
 5. The recipient may transfer the received plant material to third parties only under these terms and conditions and must document the transfer in a suitable manner (e.G. By using the documentation form, such as provided in Annex 1.3).
- I accept the above conditions.

Date, signature

recipient's name and address, stamp

¹According to the CBD „genetic resources“ means genetic material of actual or potential value. This definition covers both living and not living material. The Code of Conduct and the IPEN covers only the exchange of living plant material (living plants or parts of plants, diaspores) thus falling in the definition of genetic resources.

² ideally, the national focal point in the garden's home country

Desiderata 2019/2020

DESIDERATA 2019/2020

ARBORETUM NOVÝ DVŮR SLEZSKÉ ZEMSKÉ MUZEUM 746 01 OPAVA CZECH REPUBLIC	Contact Person, Institute & Your Address:
E-mail: arboretum@szm.cz	E-mail: Phone:

In response to the International Convention of Biological Diversity (Rio de Janeiro, 1992), the Nový Dvůr Arboretum supplies the seed collections requested on the condition that:

- 1. They used for common good in the areas of research, trailing, breeding, education and the development of public botanic gardens.*
- 2. If the recipient seeks to commercialise the genetic material, its products or research derived from it, then permission must be sought from the Nový Dvůr Arboretum. Such commercialization will be subject to a separate agreement.*
- 3. The genetic material, its products or research derived from it are not passed to a third party for commercialization without written permission from the Nový Dvůr Arboretum.*

I agree to comply with the conditions above.

Date, Signature:

Stamp:

Yout seed order:

*Please, limit your order to **25 numbers** and return this signed form by **31th August 2020**. Warning: We only distribute seeds after receiving this form, signed and filled in, thank you.*

